

Appl. No. 10/788,577  
Amdt. Dated December 12, 2006  
Reply to Office Action of November 03, 2006

RECEIVED  
CENTRAL FAX CENTER

DEC 12 2006

**Amendments to the Claims**

This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

Claim 1 (currently amended): A liquid crystal display, comprising:  
a backlight module having a light source, a light guide plate, a reflector, and a quarter-wave plate, the light source being disposed adjacent to one side of the light guide plate, and the reflector, the quarter-wave plate and the light guide plate being stacked together from bottom to top in that order; and ~~at least one of the following elements:~~

a plurality of V-shaped grooves formed directly in a top surface of the light guide plate, the ~~v-shaped~~ V-shaped grooves being configured for diffusing light; and

~~a diffuser positioned on top of the light guide plate; and~~

a liquid crystal panel having a reflective polarizing element, the liquid crystal panel being located on the backlight module, and the reflective polarizing element facing a top surface of the light guide plate.

Claim 2 (canceled).

Claim 3 (original): The liquid crystal display of claim 1, wherein the quarter-wave plate is attached to a bottom surface of the light guide plate.

Appl. No. 10/788,577  
Amdt. Dated December 12, 2006  
Reply to Office Action of November 03, 2006

Claim 4 (original): The liquid crystal display of claim 3, further comprising a diffuser disposed between the liquid crystal panel and the light guide plate.

Claim 5 (original): The liquid crystal display of claim 4, further comprising a brightness enhancing film disposed between the diffuser and the liquid crystal panel.

Claim 6 (original): The liquid crystal display of claim 5, further comprising a plurality of printing-dots being defined on the bottom surface.

Claims 7-12 (canceled)

Claim 13 (currently amended): A liquid crystal display comprising:  
a light guide plate;  
a light source located by one side of the light guide plate;  
a quarter-wave plate located under said light guide plate;  
a reflector located under said quarter-wave plate;  
a reflective polarizing element located above the light guide plate; and  
~~at least one of the following elements:-~~

a plurality of V-shaped grooves formed directly in a top surface of the light guide plate, the ~~v-shaped~~ V-shaped grooves being configured for diffusing light; ~~and~~

~~a diffuser positioned on top of the light guide plate, such a diffuser being interposed between the light guide plate and the reflective polarizing element.~~

Appl. No. 10/788,577  
Amdt. Dated December 12, 2006  
Reply to Office Action of November 03, 2006

Claim 14 (previously presented): A liquid crystal display comprising:  
a reflective polarizing element;  
a quarter-wave plate located under the reflective polarizing element;  
a light guide plate interposed between the reflective polarizing element  
and the quarter-wave plate, the light guide plate having a top surface facing  
and spaced from the reflective polarizing element, wherein the light guide  
plate has a plurality of V-shaped grooves defined in the top surface thereof;  
a light source located on one side of the light guide plate; and  
a reflector located under said quarter-wave plate.

Claim 15 (canceled)

Claim 16 (previously presented): The liquid crystal display of claim 14,  
wherein a diffuser is interposed between the light guide plate and the  
reflective polarizing element.

Claim 17 (previously presented): The liquid crystal display of claim 13,  
further comprising a plurality of printing-dots being defined on a bottom  
surface of the light guide plate.

Claim 18 (previously presented): The liquid crystal display of claim 13,  
wherein the top surface of the light guide plate faces the reflective polarizing  
element.

Claim 19 (previously presented): The liquid crystal display of claim 13,  
further comprising a brightness enhancing film disposed between the  
V-shaped grooves of the light guide plate and the liquid crystal panel or  
between the diffuser and the liquid crystal panel.

Appl. No. 10/788,577  
Amdt. Dated December 12, 2006  
Reply to Office Action of November 03, 2006

Claim 20 (previously presented): The liquid crystal display of claim 17,  
wherein the quarter-wave plate is attached to the bottom surface of the light  
guide plate.